

---

## Highlights

Vollmetallgehäuse  
lüfterlose Konstruktion  
Touchscreen oder Digitizer  
UMPC, Mil Std 810F / IP54 compliant  
sonnenlichtlesbares Display

---



Full ruggedized Industrie-Convertible mit geschlossenem Metallgehäuse, lüfterlose Konstruktion. Atom Processor Z530P (1.6GHz, FSB 533MHz). Arbeitsspeicher von 2GB, Festplatte HDD 1.8" SATA 120GB. GPS Empfänger 2.0 MP Kamera. LCD Display 7" WSVGA (1024x 600 resolution) TFT LCD mit Touchscreen panel, Sonnenlichtlesbares Display,



## Durios T7 Ultra / Datenblatt

Bezeichnung:	Durios T7 Ultra	
Art.-Nr.:	200.608	
Geräteoptionen	3G Modul (extern) auf Anfrage	
Rugged Eigenschaft	Fully rugged	
Features	MIL-STD 810F and IP54 Magnesium / Aluminium Gehäuse Shock-protected removable HDD Falltest 90 cm / Vibration & drop resistant	
CPU/Prozessor	Atom Processor Z530P (1.6GHz, FSB 533MHz)	*
Arbeitsspeicher Memory	2GB DDR2	*
Festplattengröße Storage	120 GB SATA 5400rpm 160 GB SATA 5400rpm 320 GB SATA 5400rpm 640 GB SATA 5400rpm 250 GB FREEFALL SENSOR 64 GB SATA SSD (MLC) 128 GB SATA SSD (MLC) 256 GB SATA SSD (MLC) 64 GB SATA SSD (SLC)	*
VGA Controller		
Display	7" WSVGA (1024x 600 resolution) TFT LCD with touch screen panel LED backlighting, Sunlight readable function.	
Optisches Laufwerk	no	
Webcam	2.0 MP Webcam	*
Keyboard	Funktionstasten	
Grafik		
Pointing Device	Pressure sensitive touchscreen Digitizer / Stylus	
IO Interface / Phys. Schnittstelle	Microphone (Mini-jack) x 1 DC in Jack x 1 USB 2.0 (4-pin) x 2 (RJ-45/Audio in+out) USB 2.0 (4-pin) x 1 ( RJ-45 x 1/ RS-232 x1) Docking connector x 1	*
(Expansion Slots)	ExpressCard 34/54mm (occupies one smart card reader slot) PCMCIA Type II x 1 SD card reader x 1 Docking connector at the bottom x 1	*
Communication Interface Interface	100/10 Ethernet network (RJ45) Intel WiFi Link 5100 [802.11a/b/g/Draft-N (1x2)] Bluetooth (v2.0+EDR class 2) (option) Optional GSM / GPRS / EDGE / UMTS / HSDPA (nur über Express Card/ PCMCIA)	*
Operating System / Betriebssystem **	Genuine Windows® XP Tablet Edition Genuine Windows® 7 Professional incl. XP-Tablet downgrade	
Software	Utility + (Treiber CD) Camera Adobe® Reader® Computrace® Compatible BIOS	
Security Feature Sicherheit	Security Administrator password Boot password TPM 1.2 Kensington Lock	

## Durios T7 Ultra / Datenblatt

Power /Akku	AC Adapter Output: 19V, 3.42A; 65W Input: 100V-240V, 50Hz-60Hz * Twin hot-swappable Lithium Polymer Battery Packs (7.4V, 2580mAh; 19Wh each) Mobile Mark 2005 productivity workload battery life: 6hrs Remove battery without using a tool
Dimensions	225 x 145 x 39.8 mm (exclusive of bumpers)
Weight	1.3 kg
Environmental	Operating: -20°C~ 60°C Storage: -55°C~ 75°C Humidity: 5% ~ 95% RH
Regulations / Verord.	EMI/Safety CSA, FCC, CE
Garantie	24 Monate / Akku 6 Monate auf 36 Monate erweiterbar
Zubehör Accessories	Auto Adapter 120W 12-24V Power cord Stylus Pen Hand-strap Docking Station / Desktop Cradle (4x USB/ RJ-45/ DC-in/ 2-bay Battery Charger/ VGA port/Serial)
Sonstiges Options	1D / 2D Barcodescanner + RFID

\* Standard

\*\* ohne

Änderungen und Irrtümer vorbehalten. Alte Versionen verlieren hiermit ihre Gültigkeit  
Produktdaten sind Angaben des Herstellers