



case fan overview

images alike. errors excepted, subject to change.

xilence case fan 80 mm | xpf80

inexpensive 80 mm case fan, black.



technical data

dimensions:	80x80x25
voltage:	12 V
start voltage:	6 V
power consumption:	2,52 W
rated current:	0,21 A
fan speed:	2.500 rpm +/- 10%
max. air flow:	31,4 CFM
air pressure:	3,01MM-H2O
weight:	60 g
certificates:	CE

xilence case fan 120 mm | xpf120

inexpensive 120 mm case fan, black.



technical data

dimensions:	120x120x25
voltage:	12 V
start voltage:	6 V
power consumption:	1,68 W
rated current:	0,14 A
fan speed:	1.400 rpm +/- 10%
max. air flow:	68 CFM
air pressure:	2,3MM-H2O
weight:	140 g
certificates:	CE

xilence case fan 80 mm | xpf80.r

inexpensive 80 mm case fan, black/red.

**technical data**

dimensions:	80x80x25
voltage:	12 VDC
start voltage:	7 VDC
power consumption:	0,84 W
rated current:	0,07 A
fan speed:	1.500 rpm +/- 10%
max. air flow:	19,6 CFM
air pressure:	1,12 mmAq
noise level:	~ 15 dB/A
weight:	65 g
certificates:	CE

xilence case fan 92 mm | xpf92.r

inexpensive 120 mm case fan, black/red.

**technical data**

dimensions:	92x92x25
voltage:	12 VDC
start voltage:	7 VDC
power consumption:	0,84 W
rated current:	0,07 A
fan speed:	1.500 rpm +/- 10%
max. air flow:	36 CFM
air pressure:	1,40 mmAq
noise level:	~ 19 dB/A
weight:	94 g
certificates:	CE

xilence case fan 120 mm | xpf120.r


inexpensive 120 mm case fan, black/red.

**technical data**

dimensions:	120x120x25
voltage:	12 VDC
start voltage:	6 VDC
power consumption:	< 1,2 W
rated current:	< 0,10 A
fan speed:	1.400 rpm +/- 10%
max. air flow:	68 CFM
air pressure:	2,3 mmAq
noise level:	21,2 dB/A
weight:	140 g
certificates:	CE

xilence case fan 80 mm | xpf80I.bl


inexpensive 80 mm case fan, transparent,
blue illuminated through led.

**technical data**

dimensions:	80x80x25
voltage:	12 V
start voltage:	6 V
power consumption:	2,52 W
rated current:	0,21 A
fan speed:	2.500 rpm +/- 10%
max. air flow:	31,4 CFM
air pressure:	3,01MM-H2O
weight:	60 g
certificates:	CE

xilence case fan 120 mm | xpf120I.bl

inexpensive 120 mm case fan, transparent,
blue illuminated through led.

**technical data**

dimensions:	120x120x25
voltage:	12 V
start voltage:	6 V
power consumption:	1,68 W
rated current:	0,14 A
fan speed:	1.400 rpm +/- 10%
max. air flow:	68 CFM
air pressure:	2,3MM-H2O
weight:	140 g
certificates:	CE